

- High strength and low stretch
- Light weight
- strong in tensile fatigue
- Excellent in abrasion resistance, weather resistance and anti-corrosion
- Less kink and deformation
- High conductance
- Ace line(R)008B-B

Diameter	Weight	Tensile strength
Φmm	g/m	kN
5	21.1	12.3
6	32.2	19.3
7	41.1	26.3
8	52.9	32.5
9	66.7	41.0
10	82.6	49.4
11	98.3	59.3
12	112	69.6
14	149	90.9
16	187	112
18	243	142
20	299	170
22	356	202
24	415	236
26	493	287
28	554	322
30	633	353

• Ace line(R)008B-BC

Diameter	Weight	Tesnile strength
Φmm	g/m	kN
5	21.5	10.5
6	33.3	14.0
7	45.2	19.3
8	59.9	26.3
9	75.3	37.6
10	91.7	46.1
11	110	56.0
12	130	65.9
13	150	74.7
14	167	87.7
16	214	112
18	268	142
20	327	170
22	396	202
24	472	236
26	549	287
28	646	322
30	742	353

• Ace line(R)007L-C

Diameter	Weight	Tensile strength
Φmm	g/m	kN
2	4.1	2.16
3	9.3	4.51
4	15.6	7.65
5	23.5	11.6
6	31.6	16.1
7	44.0	21.3
8	57.4	27.2
9	71.7	33.6
10	83.2	40.8